


Jinan Hengsheng New Building Materials Co.,Ltd

Add: D-601, Binhe Business Center, No. 8888 of Qinghe North Road, Tianqiao District, Jinan City, Shandong Province, China

Tel: +86-531-88627566



HEALTH SEASONS GLOBAL BARRIER FREE OVERALL SOLUTION EXPERT



CUSTOMERS LOOK

Jinan Hengsheng New Building Materials Co.ltd was founded in 2008, is a modern production-oriented enterprise integrating R & D, production and sales, specializing in protective handrails and barrier free facilities.

The headquarters of the company is located in Jinan Binhe business center, and the production center is located in Qihe, Shandong Province. With a production site of more than 20 acres, 180 types of products in stock, and more than 200 employees, the company is one of the few professional and large-scale modern production enterprises in China. The company's products are composed of four series , including anti-collision series, barrier free series, medical rail series and ground auxiliary materials series. They have been widely used in hospitals, hotels, nursing homes, apartments for the elderly, schools, high-end commercial buildings, factory workshops, families and other places. The sales network has spread all over the world, exported to Europe the United States, the Middle East, East Asia, Southeast Asia, Russia and other more than 80 countries in the world, with more than 10000 cooperative customers.

In the future, Heng Seng protection will continue to adhere to the standards of 6e Seiko and shaping Seiko products, cooperate closely with international design companies, and constantly innovate and upgrade the company's new products; Adhering to the business philosophy of "integrity-based" and the management philosophy of "people-oriented", we are constantly striving to create a safe, comfortable and convenient happy life for our customers and employees.





HONOR CERTIFICATE









Alibaba Jinpin integrity enterprise

op ten quality brands in China protection industry

Certified supplier of China manufacturing network

National consumer qualit satisfaction brand

Vice President enterprise of cross border E-Commerce Association









Recommended products of China Construction

AAA enterprise with quality service reputation

National quality integri

China's green building materials products

TECHNICAL PATENT AND RESEARCH ACHIEVEMENTS CERTIFICATES







flange I patent



model patent Utility model patent certificate of infusion bottle hanging device







EU SGS international testing



ISO9001 quality nanagement system certification

Some customer cases Domestic 1000+

More than 10,000 medical and health institutions have used Heng Seng products









Yantai disabled persons' Federation Langfang people's Hospital

Qiandao villa nursing center

Longkou first people's Hospital





Shandong Jinan Cancer Hospital Yunnan Qujing children's Hospital

Xinjiang Wujiaqu Sixth Agricultural Division Hospital

Chongqing Bishan District renzhicheng health and elderly care service center



Apartment for the elderly in guobu Town, Chongyi County

Anhui Hefei Social Welfare Center

Rizhao jiaofa Group No. 8 health industry building project

Chengdu integrated traditional Chinese and Western Medicine Hospital

Some export cases 100+

Heng Seng products have been sold to more than 100 countries and regions



以色列:Israel

沙特阿拉伯:Saudi Arabia

巴西:Brazil 卡塔尔:Qatar 伊拉克:Iraq

罗马尼亚:Romania

缅旬:Burma 智利:Chile 德国:Germany

美国:USA 英国:UK

阿联西:UAE

马来西亚:Malaysia 東埔寨:Cambodia

加拿大:Canada

印度:India 摩洛哥:Morocco

伊朗:Iran 秘鲁:Peru

泰国:Thailand

俄罗斯:Russia

孟加拉:Bangladesh

西班牙:Spain 意大利:Italy


哥伦比亚:Colombia

土耳其:Turkey

00000



GLOBAL BARRIER FREE INTEGRATED SOLUTIONS EXPERT




ANTI-COLLISION SERIES

FEATURES:


High strength with metal structure, warm vinyl surface. Protect wall from hitting and providing pedestrians with convenience.

38 color to choose, making perfect color space.

Scope of application: corridor, Stair railing etc.








Мо	odel	Material	Aluminum Thickness	Size	Color
HS-	-618	PVC panel+aluminum	1.2/1.4/1.6/1.8/2.0mm	4000*140mm	varied


STYLE DISPLAY













Model	Material	Aluminum Thickness	Size	Color
HS-616	PVC panel+aluminum	1.2/1.4/1.6/1.8/2.0mm	4000*159mm	varied


STYLE DISPLAY
















Мс	odel	Material	Aluminum Thickness	Size	Color
HS-	616F	PVC panel+aluminum	1.4/1.6/1.8mm	4000*143mm	varied

STYLE DISPLAY








HS-609B


Fashionable appearance and various colors
More humanized structure design






Model	Material	Aluminum Thickness	Size	Color
HS-609B	PVC panel+aluminum	1.2/1.4/1.6mm	4000*90mm	varied


STYLE DISPLAY
















Model	Material	Aluminum Thickness	Size	Color	
HS-638	PVC panel+aluminum	1.6/1.8/2.0mm	4000*38/45	varied	

STYLE DISPLAY










HS-628F

Top technology 638C+6125B combination





HS-628F

Model	Material	Aluminum Thickness	Size	Color
HS-628F	PVC panel+aluminum	1.6mm	4000*200mm	varied


STYLE DISPLAY














Holding position and structure Maximize the palm holding habit






Model	Material	Aluminum Thickness	Size	Color	
HS-639C	PVC panel+aluminum	1.7mm	4000*39mm	varied	


STYLE DISPLAY













Model	Material	Aluminum Thickness	Size	Color
HS-617A	PVC panel+aluminum	1.4mm	4000*145	varied

STYLE DISPLAY










Appearance arc modeling
More hand fitting
Excellent grip






HS-619A

Model	Material	Aluminum Thickness	Size	Color	
HS-619A	PVC panel+aluminum	1.4/2.0mm	4000*140mm	varied	


STYLE DISPLAY













HS-6141

Model	Material	Aluminum Thickness	Size	Color	
HS-6141	PVC panel+aluminum	1.2/1.6mm	4000*141mm	varied	

STYLE DISPLAY









HS-646

Cold top process Ergonomic design






HS-646

Model	Material	Aluminum Thickness	Size	Color
HS-646	PVC panel+aluminum	2.3mm	4000*38mm	varied

STYLE DISPLAY








HS-672

PVC panel superfine resin, exquisite technology Unique and elegant






HS-672

Model	Material	Size	Color
HS-672	PVC panel	4000*75mm	varied

STYLE DISPLAY








HS-673

Cold top technology, showing luxury






HS-673

Model	Material	Aluminum Thickness	Size	Color
HS-673	Cold top processpanel+aluminum +Zinc alloy elbow bracket	1.8mm	4000*34.6mm	varied

STYLE DISPLAY








HS-674

Lights with handrails are safer for use at night






HS-674

Model	Material	Aluminum Thickness	Size	Color
HS-674	Various transparent splicing process panels+Zinc alloy elbow bracket	1.8mm	4000*34.6mm	varied

STYLE DISPLAY
















HS-675

Model	Material	Size	Color
HS-675	Solid wood+champagnegold/ silverZinc alloy elbow bracket s	4000*35mm	varied

STYLE DISPLAY







HS-676

Line and surface modeling, fashionable appearance





Model	Material	Aluminum Thickness	Size	Color
HS-676	Cold top process panel +ABS elbow bracket	1.8mm	4000*152mm	varied

STYLE DISPLAY







ANTI-COLLISION SERIES

FEATURES:

A: internal metal structure strength is good, appearance of vinyl resin material, warm and not cold.

B: surface split molding.


C: upper edge tube style is ergonomic and comfortable to grip.

D: lower edge arc shape can absorb impact strength and protect walls.











Model	Material	Aluminum Thickness	Size	Color	
HS-615	PVC panel+aluminum+end cap	1.2/1.4/1.6/1.8/1.9mm	4000*150mm	varied	


STYLE DISPLAY













Model	Material	Aluminum Thickness	Size	Color	
HS-610	PVC panel+aluminum+end cap	1.2/1.4/1.5mm	4000*100mm	varied	

STYLE DISPLAY















HS-612B

Model	Material	Aluminum Thickness	Size	Color
HS-612B	PVC panel+aluminum+end cap	1.4MM	4000*120MM	varied


STYLE DISPLAY











HS-6125B


Model	Material	Aluminum Thickness	Size	Color
HS-6125B	PVC panel+aluminum+end cap	1.4mm	4000*125mm	varied


STYLE DISPLAY












HS-620B


Model	Material	Aluminum Thickness	Size	Color
HS-620B	PVC panel+aluminum+end cap	1.5mm	4000*200mm	varied

STYLE DISPLAY












HS-620C

Model	Material	Aluminum Thickness	Size	Color
HS-620C	PVC panel+aluminum+end	1.5mm	4000*200mm	varied


STYLE DISPLAY












HS-620D


Model	Material	Aluminum Thickness	size	Color
HS-620D	PVC panel+aluminum+end cap	1.6mm	4000*200mm	varied


STYLE DISPLAY












HS-675H

Model	Material	Aluminum Thickness	size	Color
HS-675H	PVC panel+aluminum+end cap	1.7mm	4000*69.5mm	varied


STYLE DISPLAY












HS-605H

Model	Material	Aluminum Thickness	size	Color
HS-605H	PVC panel+aluminum+end cap	1.7mm	4000*50mm	varied

STYLE DISPLAY







INTEGRAL WALL PANEL SERIES

FEATURES:

A: internal metal structure strength is good, appearance of vinyl resin material, warm and not cold.

B: surface split molding.

C: upper edge tube style is ergonomic and comfortable to grip.


D: lower edge arc shape can absorb impact strength and protect walls.














Application	It's widely used in office buildings, hospitals, schools, kindergartens, nursing homes, protecting protecting the wall from impact.
Thickness	1.0mm / 1.5 mm / 2.0mm / 2.5mm / 3.0mm
Standard Size	1.22*2.44m or as request
Color	Customizable
Additional Features	flame-retardant, water-proof, anti-bacterial, impact-resistant

STYLE DISPLAY











Model	Material	Aluminum Thickness	size	Color
HS-615P	PVC panel/ABS	1.8/2.0mm	15 cm wide	varied

STYLE DISPLAY











HS-620P

Model	Material	Aluminum Thickness	size	Color
HS-620P	PVC panel/ABS	1.8/2.0/2.5mm	20 cm wide	varied

STYLE DISPLAY





CORNER GUARD SERIES

FEATURES:

- A: internal metal structure strength is good, appearance of vinyl resin material, warm and not cold.
- B: surface split molding.
- C: upper edge tube style is ergonomic and comfortable to grip.
- D: lower edge arc shape can absorb impact strength and protect walls.



HARD CORNER GUARD

Applicable to hospitals, nursing homes, home care centers, kindergartens, schools, Early education institutions, children's playgrounds, hotels, high end commercial buildings, Factory workshop, etc.








Side width:30x30mm Side length:3m/pc Corner angle: 90°





HS-605A

Side width:50x50mm Side length:3m/pc Corner angle: 90°




ANTI COLLISION PRODUCT LINE






HS-605B

Side width:50x50mm Side length:3m/pc Corner angle: 90°








HS-607B

Side width:76x76mm Side length:3m/pc Corner angle: 90°








HS-635B

Side width:50x50mm Side length:3m/pc Corner angle: 90°



SOFT CORNER GUARD


Applicable to hospitals, nursing homes, home care centers, kindergartens, schools, Early education institutions, children's playgrounds, hotels, high end commercial buildings, Factory workshop, etc.









Side width:35x35mm Side length:3m/pc Corner angle: 90°






HS-650R

Side width:50x50mm Side length:3m/pc Corner angle: 90°



■ ANTI COLLISION PRODUCT LINE







7609 C	431 C	CoolGray 4 C		
038	038	026	018	050
7731 C	358 C	3285 C	3523 C	2310 C
112	040	009	020	105
	121 C	563 C	343 C	562 C
041	006	088	024	800
2317 C	7690 C	2727 C	429 C	2011 C
011	033	002	027	800
1595 C	707 C		7625 C	7582 C
022	010	021	108	016
304 C		123 C	7500 C	563 C
004	146	007	005	012
7532 C	2185 C	2148 C	526 C	7474 C
019	056	003	080	007

* Anti collision product line Anti collision handrails, wall panels, wall corners and other products above can be customized



BATHROOM PRODUCT LINE

GLOBAL BARRIER FREE INTEGRATED SOLUTIONS EXPERT

HEALTHSEASONS PRECISION

.

BATHROOM HANDRAIL



CONTENTS

SHOWER CHAIR





Delicate material



Top research and development



Wel**l**-designed



Lean Production




Environmental friendly



Sinsere Service

■ BATHROOM PRODUCT LINE



CLASSIFICATION	STANDARD EDITION	PREMIUM EDITION
TO CONFIGURE	ABS+201 stainless steel	ABS/nylon+304 stainless steel
CLASSIFICATION	1.0±0.2mm	1.2±0.2mm



HS-024A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm



HS-024C

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm



HS-024G

Size: length can be customized Color: yellow/white Others can be

customized

Pipe diameter: 30mm Wall thickness: 1mm



HS-024R

Size: length can be customized

Color: yellow/white Others can be customized

Pipe diameter: 30mm

Wall thickness: stainless steel 1mm/rubber 2mm

BATHROOM PRODUCT LINE



HS-038A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm



HS-037A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm



TOILET HANDRAIL

High quality material selection, safety and environmental protection

Fire resistance, wear resistance and aging resistance

For you and your family

More security



CLASSIFICATION	STANDARD EDITION	PREMIUM EDITION
TO CONFIGURE	ABS+201 stainless steel	ABS/nylon+304 stainless steel
CLASSIFICATION	1.0±0.2mm	1.2±0.2mm

BATHROOM PRODUCT LINE



HS-028A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm






HS-030A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-030A-1

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-030A-2

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-030A-3

Size: length can be customized Color: yellow/white Others can be

Outer tube φ: 35mm Inner tube φ: 25mm






HS-018A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm






HS-018B-2

Size: length can be customized Color: yellow/white Others can be customized


Outer tube φ: 35mm Inner tube φ: 25mm





HS-018B-3

Size: length can be customized Color: yellow/white Others can be customized




■ BATHROOM PRODUCT LINE



HS-018C

Size: length can be customized Color: yellow/white Others can be customized




Outer tube φ: 35mm Inner tube φ: 25mm



HS-018C-1

Size: length can be customized Color: yellow/white Others can be customized



Outer tube φ: 35mm Inner tube φ: 25mm



HS-018D

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm






HS-018D-1

Size: length can be customized Color: yellow/white Others can be customized






■ BATHROOM PRODUCT LINE



HS-002A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm






HS-003A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-003A-1

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-004C

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-005A

Size: length can be customized Color: yellow/white Others can be customized


Outer tube φ: 35mm Inner tube φ: 25mm





HS-005A-1

Size: length can be customized Color: yellow/white Others can be customized



BATHROOM PRODUCT LINE

TOILET HANDRAIL

Safe and firm Multi scenario




CLASSIFICATION	STANDARD EDITION	PREMIUM EDITION
TO CONFIGURE	ABS+201 stainless steel	ABS/nylon+304 stainless steel
CLASSIFICATION	1.0±0.2mm	1.2±0.2mm



HS-003B

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-004C-1

Size: length can be customized Color: yellow/white Others can be customized




BATHROOM PRODUCT LINE

MULTI **FUNCTION ARMREST**

Easy installation Safe and firm

Multi scenario application



CLASSIFICATION	STANDARD EDITION	PREMIUM EDITION
TO CONFIGURE	ABS+201 stainless steel	ABS/nylon+304 stainless steel
CLASSIFICATION	1.0±0.2mm	1.2±0.2mm



HS-025A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm





HS-025C

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm






HS-025G

Size: length can be customized Color: stainless steel Pipe diameter: 30mm


Wall thickness: 1mm





HS-025M

Material: solid wood+zinc alloy Size: length can be customized Color: beech/white wax/bamboo/ black walnut



■ BATHROOM PRODUCT LINE



HS-026A-1

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm



HS-027A

Size: length can be customized Color: yellow/white Others can be customized

Outer tube φ: 35mm Inner tube φ: 25mm



SHOWER CHAIR

Safe and comfortable, easy to fold

Does not take up space

Fine, smooth and delicate

Easy installation



CLASSIFICATION	STANDARD EDITION	PREMIUM EDITION
TO CONFIGURE	ABS+201 stainless steel	ABS/nylon+304 stainless steel
CLASSIFICATION	1.0±0.2mm	1.2±0.2mm

BATHROOM PRODUCT LINE



HS-01B


Size: 320x330mm Color: yellow/white Material: aluminum square tube+aluminum alloy base





HS-01N


Size: 300x305mm Color: white Material: urea formaldehyde panel





HS-03B

Size: 320x450mm Color: yellow/white Outer tube φ: 35mm Inner tube φ: 25mm






HS-03C

Size: 320x450mm Color: yellow/white Outer tube φ: 35m


Outer tube φ: 35mm Inner tube φ: 25mm





HS-04A

Size: 450x340x320mm Color: yellow/white Outer tube ϕ : 35mm







HS-04B

Size: 650x360x500mm Color: yellow/white Outer tube φ: 35mm

Inner tube φ: 25mm







GLOBAL BARRIER FREE INTEGRATED SOLUTIONS EXPERT

SHOWER CHAIR

02

POTTY CHAIR





O3
TOILET RACK

CONTENTS

U4

BEDSIDE HANDRAIL





05 WALKER

06

CRUTCH





07

SURROUNDING THE ELDERLY










KY-1101A


Material: aluminum alloy Color: white/blue Pipe wall: 1.3mm Configuration: five gear adjust





KY-1102A

Material: aluminum alloy
Color: white/blue
Pipe wall: 1.3mm
Configuration: five gear adjustable





KY-1104A

Material: aluminum alloy Color: white/blue Pipe wall: 1.3mm





KY-1104A-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable




KY-1201A-1

Material: aluminum alloy

Color: Blue/grey seat cushion Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1104B

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1104B-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1201A

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1201B

Material: aluminum alloy

Color: white Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1201B-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1105A

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm






KY-1105A-1

Material: aluminum alloy Color: Blue/grey seat cushion

Configuration: five gear adjustable



Pipe wall: 1.3mm



KY-1105B

Material: aluminum alloy Color: white Pipe wall: 1.3mm

Configuration: five gear adjustable



KY-1105B-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1106A

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1106A-1

Material: aluminum alloy

Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1106B

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1106B-1

Material: aluminum alloy

Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1202A

Material: aluminum alloy Color: white

Pipe wall: 1.3mm



KY-1202A-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1202B

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1202B-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1203A

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1203A-1

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1203A-2

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1203A-3

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1203B

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm





KY-1203B-1

Material: aluminum alloy Color: white Pipe wall: 1.3mm Configuration: five gear adjustable





KY-1203B-2

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm Configuration: five gear adjustable






KY-1203B-3

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm Configuration: five gear adjustable 4






KY-1204A

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1204A-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1204B

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1204B-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1205A

Material: aluminum alloy Color: white


Pipe wall: 1.3mm





KY-1205A-1


Material: aluminum alloy Color: Blue/grey seat cushion Pipe wall: 1.3mm





KY-1205B


Material: aluminum alloy Color: white Pipe wall: 1.3mm Configuration: five gear adjustable





KY-1205B-1

Material: aluminum alloy Color: Blue/grey seat cushion Pipe wall: 1.3mm Configuration: five gear adjustable





KY-1206A

Material: aluminum alloy Color: white Pipe wall: 1.3mm Configuration: five gear adjustable






KY-1206A-1

Material: aluminum alloy Color: Blue/grey seat cushion Pipe wall: 1.3mm


Configuration: five gear adjustable





KY-1206B

Material: aluminum alloy Color: white Pipe wall: 1.3mm Configuration: five gear adjustable





KY-1206B-1

Material: aluminum alloy Color: Blue/grey seat cushion Pipe wall: 1.3mm


Configuration: five gear adjustable





KY-1207A

Material: aluminum alloy Color: white Pipe wall: 1.3mm Configuration: five gear adjustable






KY-1207A-1

Material: aluminum alloy Color: Blue/grey seat cushion Pipe wall: 1.3mm


Configuration: five gear adjustable



KY-1207B

Material: aluminum alloy Color: white Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1207B-1

Material: aluminum alloy Color: Blue/grey seat cushion Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1208A

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1208A-1

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1208A-2

Material: aluminum alloy

Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1208A-3

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable






KY-1208B

Material: aluminum alloy Color: white

COIOI. WITHLE


Pipe wall: 1.3mm Configuration: five gear adjustable





KY-1208B-1

Material: aluminum alloy Color: white Pipe wall: 1.3mm






KY-1208B-2

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm Configuration: five gear adjustable






KY-1208B-3

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1301A

Material: aluminum alloy

Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1301A-1

Material: aluminum alloy Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1301B

Material: aluminum alloy Color: white

Pipe wall: 1.3mm

Configuration: five gear adjustable





KY-1301B-1

Material: aluminum alloy

Color: Blue/grey seat cushion

Pipe wall: 1.3mm

Configuration: five gear adjustable





FST-5301

Material: aluminum alloy Color: white

Pipe wall: 1.2mm

Configuration: Collapsible








KY-2101A

Material: high carbon steel Color: white Steel pipe: Φ 22.2*1.2mm Configuration: five gear adjustable





FST-7810

Name: Upturn toilet chair Material: aluminum alloy Configuration: foldable/with bucket

Distance from back end of base plate to wall:

Short: 17cm Medium: 22cm Length: 28cm





FST-7810

Name: Upturn toilet chair Material: aluminum alloy Configuration: foldable/with bucket

Distance from back end of base plate to wall:

Short: 17cm Medium: 22cm Length: 28cm





YC-128

Name: elevating toilet chair Material: PP

Color: off white





FST-7801

Name: Toilet chair with wheels Material: aluminum alloy+plastic Color: green Configuration: with toilet



KJ-702TA

Name: Toilet chair with wheels Material: aluminum alloy Color: black Configuration: with toilet/ Adjustable height







KJ-703D

Name: Toilet chair with wheels Material: aluminum alloy Color: black

Configuration: with toilet/ Adjustable height







FST-8202

Name: walker (with pulley/without pulley)
Material: aluminum alloy

Configuration: Height adjustable





FST-8207

Name: walker (with pulley/without pulley)

Material: aluminum alloy Configuration: Height adjustable





FST-8207SZ

Name: walker (with pulley/without pulley)

Material: aluminum alloy Configuration: Height adjustable





FST-8212

Name: Walking aid Material: aluminum alloy Configuration: Height adjustable





YC-2200

Name: Walking aid

Material: high carbon steel

Color: black

Configuration: Height adjustable





YC-2300

Name: Walking aid

Material: high carbon steel

Color: black

Configuration: Height adjustable





KS-801

Name: walking machine

Material: high carbon steel

Color: yellow

Configuration: four wheel foot brake adjustable lifting





KS-501A / KS-501B

Name: walking machine

Material: high carbon steel baking

varnish

Configuration: electric lifting Seven gear adjustable
























KY-4101A

Material: high carbon steel

Color: blue/gray

Steel pipe: Φ 22.2*1.2mm


Configuration: five gear adjustable





KY-4101B

Material: high carbon steel Color: blue/gray Steel pipe: Φ 22.2*1.2mm Configuration: five gear adjustable Large suction cup





KY-4101C


Material: high carbon steel Color: blue/gray Steel pipe: Φ 22.2*1.2mm





KY-4201A


Material: aluminum alloy Color: blue/gray Aluminum tube: Φ 22.2*1.3mm Configuration: five gear adjustable





KY-4201B

Material: aluminum alloy Color: blue/gray Aluminum tube: Φ 22.2*1.3mm Configuration: five gear adjustable Large suction cup





YC-7911

Name: toilet booster Material: environment-friendly PE blow molding







SLD-TL-18-A(Classic style)

Name: Intelligent Lifting Toilet Rack

Process: paint baking process

Color: white

Configuration: intelligent lifting design



SLD-TL-18-A(Basic fund)

Name: Intelligent Lifting Toilet Rack

Process: paint baking process

Color: white

Configuration: intelligent lifting design



SLD-TL-18-A(Premium)

Name: Intelligent Lifting Toilet Rack

Process: paint baking process

Color: white

Configuration: intelligent lifting design





KCR-S100

Name: bedside handrail Material: carbon steel pipe Color: black and white silver Configuration: foldable height adjustable






FST-9100

Name: bedside handrail

Material: high carbon steel pipe+aluminum alloy base

Color: off white

Configuration: with storage bag/ safety belt





FST-9100B

Name: bedside handrail

Material: high carbon steel pipe+aluminum alloy base

Color: off white

Configuration: with storage bag/ safety belt





FST-9201

Name: bedside handrail Material: high carbon steel pipe

Color: off white

Configuration: with storage bag/safety belt






FST-9201B

Name: bedside handrail Material: high carbon steel pipe Color: off white

Configuration: with storage bag/ safety belt





FST-1213

Name: bedside backrest frame

Material: high carbon steel, Oxford cloth

Configuration: five gear adjustable





KY-5101A

Name: bedside handrail Material: high carbon steel Color: white





KY-5202A

Name: bedside handrail Material: high carbon steel

Color: white

Configuration: five gear adjustable and foldable





KY-5301A


Name: bedside handrail Material: stainless steel Color: yellow/white Configuration: height adjustable





KY-5301B


Name: bedside handrail Material: stainless steel Color: yellow/white Configuration: height adjustable





KY-5302A

Name: bedside handrail Material: stainless steel Color: red walnut grain Configuration: height adjustable






KY-5302B

Name: bedside handrail Material: stainless steel Color: red walnut grain Configuration: height adjustable

72-91cm








Bedside guardrail

Color: Multi color optional Gear position: 3-11 adjustable Bed type: flat bed, nursing bed Household bed, etc





KY-6101A


Name: cane

Material: aluminum alloy

Color: black

Foot pad: one foot, three feet, four feet, six feet

Configuration: 10 gear height adjustable



KY-6101B

Name: rubber covered walking stick

Material: aluminum alloy

Color: blue

Foot pad: one foot, three feet, four feet, six feet

Configuration: 10 gear height adjustable






KY-6301A

Name: Axillary crutch
Material: aluminum alloy

Color: grey

Configuration: height adjustable







Human body sensing lamp

Light color: white light/warm light Power supply mode: USB charging Switch type: inductive



Human body sensing lamp

Light color: white light/warm light Power supply mode: USB charging Switch type: inductive



A310

Name: Caller Style: on-site version Type: One Drag One One drags two Two to one



A610

Name: Caller Style: on-site version Telephone version (remote call) Button: silicone material Type: One Drag One One drags two Two to one



Multi functional intelligent bedsore pad

Air cushion fabric: medical pvc Back lifting range: 0~45° Rolling height: 30cm Scope of application: single bed

Medical bed, earthen kang



Non slip mat - 25cm

Name: bathroom splicing anti-skid mat

Material: plastic

Color: Multi color optional

Features: splicing and matching

Applicable to: washroom, swimming pool and bathroom





Non slip mat - 30cm

Name: bathroom splicing anti-skid mat

Material: plastic

Color: Multi color optional

Features: splicing and matching

Applicable to: washroom, swimming pool and bathroom





Non slip mat - 30cm

Name: bathroom splicing anti-skid mat

Material: plastic

Color: Multi color optional

Features: splicing and matching


Applicable to: washroom, swimming pool and bathroom





MEDICAL AUXILIARY PRODUCT LINE


GLOBAL BARRIER FREE INTEGRATED SOLUTIONS EXPERT



MEDICAL AUXILIARY SERIES

FEATURES:

- 1. Solid: Unique process design, one processing molding, only one joint mouth, solid and stable.
- 2. Delicate: medical curtain tracks can be utilized in hospital ward, injection room, inspection room, ICU, locker room etc., which make indoor space neat, bright and delicate and save space.
- 3. Private: provide patients with private space to inspect, cure and stay in hospital.
- 4. Simple and convenient: appropriable track, easy to construct and clean, quick assembly and disassembly.



■ MEDICAL AUXILIARY PRODUCT LINE

TRACK SERIES

Unique design is not easy to deform Wide application, safe and stable












European luxury rail YL-45


Material: aluminum alloy Thickness: 1.5 Type: straight/U-type/O-type/ L-type






Stealth slideway YL-50

Material: aluminum alloy Thickness: 1.5 Type: straight/U-type/O-type/ L-type



■ MEDICAL AUXILIARY PRODUCT LINE






Curtain rail YL-20

Account car YL-06








Infusion track YL-30

Infusion pulley







Luxury infusion track YL-30

Zinc alloy pulley

INFUSION SUSPENDER

National patented technology

The suspender is connected with screw thread High occlusal strength Electrophoretic sand blasting process Stronger corrosion resistance











Aluminum alloy telescopic boom YL-03

Material: Aluminum alloy +abs accessories

Color: Silver flash

Configuration: aluminum alloy pipe + aluminum alloy hook

Specification:
1.1m/ piece (0.323kg/ piece)
1.3m/ piece (0.359kg/ piece)
1.5m/ piece (0.395kg/ piece)

Selection method of stainless steel suspender length:Room net height (decorated) -1.7m



Stainless steel telescopic boom YL-02

Material: 201/304 stainless steel

+abs accessories

Color: bright side

Configuration: 201 stainless steel pipe + 201 stainless steel hook

304 stainless steel pipe+ 304 stainless steel hook

Specification:

1.1m/ piece (0.323kg/ piece) 1.3m/ piece (0.359kg/ piece) 1.5m/ piece (0.395kg/ piece)

Selection method of stainless steel suspender length:Room net height (decorated) -1.7m


™MEDICAL AUXILIARY PRODUCT LINE

EVERY CURTAIN


Unique design
Ventilate and open
the sun
Wide application
Safe and stable




Bed curtain design measurement scheme



Single ward (U)



Double ward (L left)



Three person ward (L right)

Plain coloured series



Stripe series







FLOORING PRODUCT LINE

GLOBAL BARRIER FREE INTEGRATED SOLUTIONS EXPERT

■ FLOORING PRODUCT LINE

BLIND TRACK **BRICK** CONTENTS BLIND TRACK **BLIND TRACK** NAIL

FLOOR SERIES


FEATURES:

Tactile tiles create elegant visual effect, which are environmental friendly without peculiar smell and easy to install, strictly accord with relevant standards of international paralympic committee.




■ FLOORING PRODUCT LINE

Blind road brick








DC-MDB-01

DC-MDB-00




HealthSeasons tactile tiles are frequently chosen in major barrier-free projects in occasions like railway, airport, disability organization, municipal government etc.



Blind road article





HealthSeasons tactile tiles, widely praised by both domestic and foreign customers, are exported to countries like America, Japan, Australia, Korean etc.





Blind road studs











